

CONgenital CORvitia

Project group

B.J.M. Mulder, *AMC Amsterdam*
 E.T. van der Velde, *LUMC Leiden*
 J.W.J. Vriend, *ICIN*
 C.J.M. Engelfriet-Rijk, *ICIN*
 I. Harms, *ICIN*
 H.D.M. Murk Jansen, *ICIN*
 L.M. Roffel, *ICIN*
 W. Hoekstra, *ICIN*



National registry and DNA-bank of adults
 with congenital heart disease
www.CONCOR.net



Steering committee

B.J.M. Mulder, chairman, *ICIN*
 E.T. van der Velde, *LUMC Leiden*
 E.C.M. Mariman, *AZM Maastricht*
 I. Kamerling, *Netherlands Heart Foundation*
 F.J. Meijboom, *EMC Rotterdam*
 H.W. Vliegen, *LUMC Leiden*
 G. Veen, *VUMC Amsterdam*
 P.G. Pieper, *AZG Groningen*
 H.W.M. Plokker, *UMCU Utrecht*
 A.P.J. van Dijk, *UMC St. Radboud Nijmegen*
 O. Daniëls, *UMC St. Radboud Nijmegen*
 J.L.M. Stappers, *AZM Maastricht*
 J.G.P. Tijssen, *AMC Amsterdam*

**Number of included patients:
 4736**

1 December 2004




Figure 1. Number of patients included.




Figure 2. Most frequent main diagnoses.

Table 1. Patients with specific main diagnoses and number of interventions.

Main diagnosis	N	1x	2x	3x	>3x	Total
Tetralogy of Fallot	637	237 (43%)	169 (27%)	102 (16%)	87 (14%)	631 (99%)
Aortic coarctation	479	276 (58%)	112 (23%)	44 (9%)	31 (7%)	463 (98%)
VSD	509	132 (26%)	45 (9%)	18 (4%)	15 (3%)	210 (41%)
ASD	469	249 (53%)	61 (13%)	13 (3%)	20 (4%)	343 (73%)
Aortic valvar stenosis	372	129 (35%)	50 (13%)	39 (11%)	19 (5%)	237 (64%)
Transposition of great arteries	319	93 (29%)	109 (34%)	52 (16%)	63 (20%)	317 (99%)
Pulmonary valvar stenosis	326	168 (52%)	41 (13%)	12 (4%)	6 (2%)	227 (70%)




Figure 3. Percentages of patients with one or more interventions. 3427 of 4700 patients (72.9%) underwent one or more interventions.